

To: Delp, Robert[Delp.Robert@epa.gov]
From: Reynolds, Thomas
Sent: Wed 6/26/2013 7:35:13 PM
Subject: RE: Pavillion Story

You got a sec now?

From: Delp, Robert
Sent: Wednesday, June 26, 2013 3:34 PM
To: Reynolds, Thomas
Subject: Re: Pavillion Story

Ok

From: Reynolds, Thomas
Sent: Wednesday, June 26, 2013 3:33:33 PM
To: Delp, Robert
Subject: RE: Pavillion Story

Lets discuss

From: Delp, Robert
Sent: Wednesday, June 26, 2013 3:27 PM
To: Reynolds, Thomas
Subject: Fw: Pavillion Story

From: Gruver, Mead
Sent: Wednesday, June 26, 2013 3:16:43 PM
To: Delp, Robert
Cc: Mylott, Richard
Subject: RE: Pavillion Story

Rich,

Below, what is new and responsive? I can't in good conscience use this, as if it's responding to my questions, when it is not. This is the same vague stuff EPA said last week.

“Despite repeated requests by AP, EPA did not make anyone available by phone Wednesday to answer questions, including about Pavillion residents’ concern they did not have a say in the decision for the state to take over the investigation.”

That's my statement, and it's the one that will go in my story.

Mead

From: Delp, Robert [mailto:Delp.Robert@epa.gov]
Sent: Wednesday, June 26, 2013 12:47 PM
To: Gruver, Mead
Subject: Pavillion Story

Mead,

Here's our comment on your story for Pavillion:

At this stage, partnering with the State of Wyoming is the quickest and most effective way to protect public health and drinking water resources of the residents of Pavilion, Wyoming from potential water contamination. EPA's focus going forward will be on using its resources and technical expertise to support and provide input to the State during its investigation, which will build on EPA's initial monitoring results. EPA applauds the leadership of Wyoming in assuring the safety of the water consumed by Pavillion residents.

You can attribute this to me as EPA spokesperson.

Bo Delp

Assistant Press Secretary

Environmental Protection Agency

Office: 202-564-0492

Cell: 202-355-5676

The information contained in this communication is intended for the use of the designated recipients named above. If the reader of this communication is not the intended recipient, you are hereby notified that you have received this communication in error, and that any review, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify The Associated Press immediately by telephone at +1-212-621-1898 and delete this email. Thank you.

[IP_US_DISC]

msk dccc60c6d2c3a6438f0cf467d9a4938